



WORLDIA

股票代码: 688028

MN-D2006 EN

PCD Standard Inserts

1 universal PCD grade for all non-ferrous materials from stock



WORLDIA MANANOVA

Easy Choice Fast Delivery

MANANOVA

Easy Choice Fast Delivery

MANANOVA is the name for Worldia's stock-keeping standard product portfolio. It provides best-in-class high-quality products within a wide range of most-common applications at very attractive prices. Each them has an inventory code which simplifies the order process.

Please refer to Worldia's general PCD Turning Inserts catalogue for more grades, geometries, tip sizes, cutting edge designs and coatings.



Contents

ISO Turning 03

Product range overview of indexable inserts
for ISO turning - Inserts description

Chip Control 05

A reliable chip - control solution to help
reducing stringy chipping - MANANOVA

PCD Insert 06

Providing stable , universal , high efficient
cutting effects - MANANOVA EASY CHOICE


Key Definition - Material designation

Example

M	N	D	10
MANANOVA	1	2	3

1
Application Materials
P Steel
M Stainless Steel
K Cast Iron
S Power Metal
H Hardened Steel
N Non-ferrous Metal

2
Cutting Tool Material
D PCD
N CBN



ANSI	C	-	C	C	G	W	2	1.5	0.5	-	1	N
ISO	C	-	C	C	G	W	06	02	02	-	1	N
	1		2	3	4	5	6	7	8		9	10

www.worldia-tools.com

PCD Insert with chip-breaker


A reliable solution to control and avoid long chips



Material: A6061

Cutting conditions: $V_c=400\text{m/min}$ $f=0.1\text{mm/rev}$ $a_p=0.2\text{mm}$

Insert type: CCGW09T308



PCD Insert

CCGW

WORLDIA MANANOVA
Easy Choice Fast Delivery

CC

80°Positive

7°Relief

Edge mark:

C - chipbreaker

L - full length

F - full face


Application:

ISO N - Non-ferrous Metal

ISO O - Others

CCGW

Shape



ANSI Code

ISO Code

Dimensions

Grade

Tips

IC
mm

S
mm

R
mm

Φd
mm

LE
mm

MND
01

MND
10

MND
32

CVD

CCGW 21.50.5

CCGW 060202

1N

6.35

2.38

0.2

2.8

2.5

MN
00005

CCGW 21.51

CCGW 060204

1N

6.35

2.38

0.4

2.8

2.5

MN
00007

CCGW 21.51.5

CCGW 060204

1N

6.35

2.38

0.5

2.8

2.5

MN
00660

CCGW21.52

CCGW 060208

1N

6.35

2.38

0.8

2.8

2.5

MN
00496

CCGW 32.50.5

CCGW 09T302

1N

9.525

3.97

0.2

4.4

2.5

MN
00009

CCGW 32.51

CCGW 09T304

1N

9.525

3.97

0.4

4.4

2.5

MN
00010

CCGW 32.51

CCGW 09T304

1N

9.525

3.97

0.4

4.4

4.4

MN
00839

CCGW 32.52

CCGW 09T308

1N

9.525

3.97

0.8

4.4

2.5

MN
00011

CCGW 32.52

CCGW 09T308

1N

9.525

3.97

0.8

4.4

4.4

MN
00840

CCGW431

CCGW120404

1N

12.7

4.76

0.4

5.5

2.5

MN
00662

CCGW432

CCGW120408

1N

12.7

4.76

0.8

5.5

2.5

MN
00663

C - CCGW 21.50.5

C - CCGW 060202

1N

6.35

2.38

0.2

2.8

2.5

MN
00006

C - CCGW 32.51

C - CCGW 09T304

1N

9.525

3.97

0.4

4.4

2.5

MN
00075

F - CCGW 21.51

F - CCGW 060204

2N

6.35

2.38

0.4

2.8

6.4

MN
00008

Items with order code MNXXXXX on stock

PCD Insert

CCGT

WORLDIA MANANOVA
Easy Choice Fast Delivery

CC

80°Positive

7°Relief

Edge mark:

C - chipbreaker


L - full length

F - full face

Application:

ISO N - Non-ferrous Metal

ISO O - Others

CCGT	Shape		Dimensions						Grade			
	ANSI Code	ISO Code	Tips	IC mm	S mm	R mm	Φd mm	LE mm	MND 01	MND 10	MND 32	CVD
	CCGT 21.50.5	CCGT 060202	1N	6.35	2.38	0.2	2.8	2.5	MN 00012			
	CCGT 21.51	CCGT 060204	1N	6.35	2.38	0.4	2.8	2.5	MN 00013			
	CCGT 32.50.5	CCGT 09T302	1N	9.525	3.97	0.2	4.4	2.5	MN 00014			
	CCGT 32.51	CCGT 09T304	1N	9.525	3.97	0.4	4.4	2.5	MN 00015			
	CCGT 32.52	CCGT 09T308	1N	9.525	3.97	0.8	4.4	2.5	MN 00016			

Items with order code MNXXXXX on stock

PCD Insert

DCGW-DCGT

WORLDIA MANANOVA
Easy Choice Fast Delivery

DC

55°Positive

7°Relief

Edge mark:

C - chipbreaker


L - full length

F - full face


Application:

ISO N - Non-ferrous Metal

ISO O - Others

DCGW	Shape		Dimensions						Grade			
			Tips	IC mm	S mm	R mm	Φd mm	LE mm	MND 01	MND 10	MND 32	CVD
	ANSI Code	ISO Code										
	DCGW 21.50.5	DCGW 070202	1N	6.35	2.38	0.2	2.8	2.5	MN 00017			
	DCGW 21.51	DCGW 070204	1N	6.35	2.38	0.4	2.8	2.5	MN 00018			
	DCGW 32.50.5	DCGW 11T302	1N	9.525	3.97	0.2	4.4	2.5	MN 00019			
	DCGW 32.51	DCGW 11T304	1N	9.525	3.97	0.4	4.4	2.5	MN 00020			
	DCGW 32.52	DCGW 11T308	1N	9.525	3.97	0.8	4.4	2.5	MN 00021			

Items with order code MNXXXXX on stock

DCGT	Shape		Dimensions						Grade			
			Tips	IC mm	S mm	R mm	Φd mm	LE mm	MND 01	MND 10	MND 32	CVD
	ANSI Code	ISO Code										
	DCGT 21.50.5	DCGT 070202	1N	6.35	2.38	0.2	2.8	2.5	MN 00022			
	DCGT 21.51	DCGT 070204	1N	6.35	2.38	0.4	2.8	2.5	MN 00023			
	DCGT 32.50.5	DCGT 11T302	1N	9.525	3.97	0.2	4.4	2.5	MN 00024			
	DCGT 32.50.5	DCGT 11T302	1N	9.525	3.97	0.2	4.4	2.5	MN 00543			
	DCGT 32.50.5	DCGT 11T302	1N	9.525	3.97	0.2	4.4	2.5	MN 00544			
	DCGT 32.51	DCGT 11T304	1N	9.525	3.97	0.4	4.4	2.5	MN 00025			
	DCGT 32.52	DCGT 11T308	1N	9.525	3.97	0.8	4.4	2.5	MN 00026			

Items with order code MNXXXXX on stock

PCD Insert

VCGW-VC GT

WORLDIA MANANOVA
Easy Choice Fast Delivery

VC

35°Positive

7°Relief

Edge mark:

C - chipbreaker

L - full length

F - full face


Application:

ISO N - Non-ferrous Metal

ISO O - Others

VCGW

Shape



ANSI Code

ISO Code

Dimensions

Grade

Tips	IC mm	S mm	R mm	Φd mm	LE mm	MND 01	MND 10	MND 32	CVD
------	----------	---------	---------	----------	----------	-----------	-----------	-----------	-----


VCGW21.51	VCGW 110204	1N	6.35	2.38	0.4	2.8	2.5	MN 00512
VCGW 220.5	VCGW 110302	1N	6.35	3.18	0.2	2.8	2.5	MN 00027
VCGW 221	VCGW 110304	1N	6.35	3.18	0.4	2.8	2.5	MN 00028
VCGW 221	VCGW 110308	1N	6.35	3.18	0.8	2.8	2.5	MN 00666

VCGW 330.5	VCGW 160402	1N	9.525	4.76	0.2	4.4	2.5	MN 00029
VCGW 330.5	VCGW 160402	1N	9.525	4.76	0.2	4.4	4.4	MN 00030
VCGW 331	VCGW 160404	1N	9.525	4.76	0.4	4.4	2.5	MN 00031
VCGW 331	VCGW 160404	1N	9.525	4.76	0.4	4.4	4.4	MN 00836
VCGW 332	VCGW 160408	1N	9.525	4.76	0.8	4.4	2.5	MN 00837
VCGW 332	VCGW 160408	1N	9.525	4.76	0.8	4.4	4.4	MN 00838

Items with order code MNXXXX on stock

VC GT

Shape



ANSI Code

ISO Code

Dimensions

Grade

Tips	IC mm	S mm	R mm	Φd mm	LE mm	MND 01	MND 10	MND 32	CVD
------	----------	---------	---------	----------	----------	-----------	-----------	-----------	-----

VCGT 220.5	VCGT 110302	1N	6.35	3.18	0.2	2.8	2.5	MN 00032
VCGT 221	VCGT 110304	1N	6.35	3.18	0.4	3.3	2.5	MN 00033

VCGT 330.5	VCGT 160402	1N	9.525	4.76	0.2	4.4	2.5	MN 00034
VCGT 331	VCGT 160404	1N	9.525	4.76	0.4	4.4	2.5	MN 00035
VCGT 332	VCGT 160408	1N	9.525	4.76	0.8	4.4	2.5	MN 00036

Items with order code MNXXXX on stock

PCD Insert

VBGW-VBGT

WORLDIA MANANOVA
Easy Choice Fast Delivery

VB

35°Positive

5°Relief

Edge mark:

C - chipbreaker


L - full length

F - full face


Application:

ISO N - Non-ferrous Metal

ISO O - Others

VBGW	Shape		Dimensions						Grade			
			Tips	IC mm	S mm	R mm	Φd mm	LE mm	MND 01	MND 10	MND 32	CVD
	ANSI Code	ISO Code										
	VBGW 330.5	VBGW 160402	1N	9.525	4.76	0.2	4.4	2.5	MN 00037			
	VBGW 331	VBGW 160404	1N	9.525	4.76	0.4	4.4	2.5	MN 00038			
	VBGW 332	VBGW 160408	1N	9.525	4.76	0.8	4.4	2.5	MN 00039			

Items with order code MNXXXXX on stock

VBGT	Shape		Dimensions						Grade			
			Tips	IC mm	S mm	R mm	Φd mm	LE mm	MND 01	MND 10	MND 32	CVD
	ANSI Code	ISO Code										
	VBGT221	VBGT 110304	1N	6.35	3.18	0.4	3.3	2.5	MN 00805			
	VBGT 330.5	VBGT 160402	1N	9.525	4.76	0.2	4.4	2.5	MN 00040			
	VBGT 331	VBGT 160404	1N	9.525	4.76	0.4	4.4	2.5	MN 00041			
	VBGT 332	VBGT 160408	1N	9.525	4.76	0.8	4.4	2.5	MN 00042			

Items with order code MNXXXXX on stock

PCD Insert

TCGW

WORLDIA MANANOVA
Easy Choice Fast Delivery

TC

60°Positive

7°Relief

Edge mark:

C - chipbreaker

L - full length

F - full face

Application:

ISO N - Non-ferrous Metal

ISO O - Others

TCGW	Shape		Dimensions						Grade			
	ANSI Code	ISO Code	Tips	IC mm	S mm	R mm	Φd mm	LE mm	MND 01	MND 10	MND 32	CVD
	TCGW 1.81.50.5	TCGW 090202	1N	5.56	2.38	0.2	2.4	2.5	MN 00043			
	TCGW 1.81.51	TCGW 090204	1N	5.56	2.38	0.4	2.4	2.5	MN 00044			
	TCGW 220.5	TCGW 110302	1N	6.35	3.18	0.2	2.8	2.5	MN 00045			
	TCGW 221	TCGW 110304	1N	6.35	3.18	0.4	2.8	2.5	MN 00046			
	TCGW 222	TCGW 110308	1N	6.35	3.18	0.8	2.8	2.5	MN 00047			
	TCGW 32.51	TCGW 16T304	1N	9.525	3.97	0.4	4.4	2.5	MN 00077			
	TCGW 32.52	TCGW 16T308	1N	9.525	3.97	0.8	4.4	2.5	MN 00079			
	TCGW 32.51	TCGW 16T304	1N	9.525	3.97	0.4	4.4	2.5	MN 00051			
	TCGW 32.52	TCGW 16T308	1N	9.525	3.97	0.8	4.4	2.5	MN 00053			
	L-TCGW 32.50.5	L-TCGW 16T302	2N	9.525	3.97	0.2	4.4	16.2	MN 00076			
	L-TCGW 32.51	L-TCGW 16T304	2N	9.525	3.97	0.4	4.4	15.9	MN 00078			
	L-TCGW 32.52	L-TCGW 16T308	2N	9.525	3.97	0.8	4.4	15.3	MN 00080			
	F-TCGW 1.81.51	F-TCGW 090204	3N	5.56	2.38	0.4	2.4	9	MN 00057			

Items with order code MNXXXXX on stock

PCD Insert

TCGT

WORLDIA MANANOVA
Easy Choice Fast Delivery

TC

60°Positive

7°Relief

Edge mark:

C - chipbreaker

L - full length

F - full face


Application:

ISO N - Non-ferrous Metal

ISO O - Others

TCGT

Shape



Dimensions

Grade

ANSI Code

ISO Code

Tips

IC
mm

S
mm

R
mm

Φd
mm

LE
mm

MND
01

MND
10

MND
32

CVD

TCGT 1.81.50.5

TCGT 090202

1N

5.56

2.38

0.2

2.4

2.5

MN
00055

TCGT 1.81.51

TCGT 090204

1N

5.56

2.38

0.4

2.4

2.5

MN
00056

TCGT 220.5

TCGT 110302

1N

6.35

3.18

0.2

2.8

2.5

MN
00058

TCGT 221

TCGT 110304

1N

6.35

3.18

0.4

2.8

2.5

MN
00059

TCGT 222

TCGT 110308

1N

6.35

3.18

0.8

2.8

2.5

MN
00060

L-TCGT 32.51

L-TCGT 16T304

2N

9.525

3.97

0.4

4.4

15.9

MN
00081

Items with order code MNXXXXX on stock

PCD Insert

TPGW-TPGT

WORLDIA MANANOVA
Easy Choice Fast Delivery

TP

60°Positive

11°Relief

Edge mark:

C - chipbreaker



L - full length

F - full face




Application:

ISO N - Non-ferrous Metal

ISO O - Others

TPGW	Shape		Dimensions						Grade			
			Tips	IC mm	S mm	R mm	Φd mm	LE mm	MND 01	MND 10	MND 32	CVD
	ANSI Code	ISO Code										
	TPGW 220.5	TPGW 110302	1N	6.35	3.18	0.2	3.3	2.5	MN 00064			
	TPGW 221	TPGW 110304	1N	6.35	3.18	0.4	3.3	2.5	MN 00065			
	TPGW 222	TPGW 110308	1N	6.35	3.18	0.8	3.3	2.5	MN 00066			
	TPGW 330.5	TPGW 160402	1N	9.525	4.76	0.2	4.4	2.5	MN 00067			
	TPGW 331	TPGW 160404	1N	9.525	4.76	0.4	4.4	2.5	MN 00068			
	F-TPGW 222	F-TPGW 160308	3N	9.525	3.18	0.8	3.3	15.3	MN 00804			

Items with order code MNXXXXX on stock

TPGT	Shape		Dimensions						Grade			
			Tips	IC mm	S mm	R mm	Φd mm	LE mm	MND 01	MND 10	MND 32	CVD
	ANSI Code	ISO Code										
	TPGT1.81.51	TPGT090204	1N	5.56	2.38	0.4	2.4	2.5	MN 00804			
	TPGT 22.50.5	TPGT 110302	1N	6.35	3.18	0.2	3.3	2.5	MN 00069			
	TPGT 22.51	TPGT 110304	1N	6.35	3.18	0.4	3.3	2.5	MN 00070			
	TPGT 22.52	TPGT 110308	1N	6.35	3.18	0.8	3.3	2.5	MN 00071			
	TPGT 330.5	TPGT 160402	1N	9.525	4.76	0.2	4.4	2.5	MN 00072			
	TPGT 331	TPGT 160404	1N	9.525	4.76	0.2	4.4	2.5	MN 00073			

Items with order code MNXXXXX on stock

The relationship between nose radius, feed rate and Ra.

$$\therefore h = r\epsilon - (r\epsilon^2 - (0.5 \times f)^2)^{0.5} = \text{Scallop Height}$$

$$\therefore Ra = (0.25 \sim 0.33) h$$

$$\therefore f_{MAX} = (Ra \times r\epsilon / 50) \frac{1}{2}$$

Feed rate recommendation:

Nose radius (mm)	Ra μm					
	0.2	0.4	0.8	1.6	3.2	6.4
	Feed Rate f (mm/rev) $\leq$					
0.2	0.028	0.040	0.057	0.080	0.113	0.160
0.4	0.040	0.057	0.080	0.113	0.160	0.226
0.8	0.057	0.080	0.113	0.160	0.226	0.320
1.2	0.069	0.098	0.139	0.196	0.277	0.392
1.6	0.080	0.113	0.160	0.226	0.320	0.453
2.4	0.098	0.139	0.196	0.277	0.392	0.554

As a Worldia MANANOVA customer

you can get benefit from: Online store service

Local distributor support

Fast delivery

What we focus on is

Maximize the convenience for end users of using the product.



BEIJING WORLDIA DIAMOND TOOLS CO., LTD.

Tel.: +86 10-58411388 ext. 8082

Email: info@worldia-tools.com

Office Address: Room H-02, 5F, M7 Building, No.1 Jiuxianqiao
East Road, Chaoyang District Beijing, China 100015

WORLDIA EUROPE GMBH

Tel.: +49-7032-2890691

Email: info@worldia-tools.eu

Office Address: Benzstraße, 38, 71083, Herrenberg Germany



www.worldia-tools.com